

SEQUENCE LISTING

<110> Schall, Thomas J.
Penfold, Mark E.T.
ChemoCentryx, Inc.

<120> Methods and Compositions Useful for Stimulating an
Immune Response

<130> 019934-001610US

<140> US 10/061,943

<141> 2002-02-01

<150> US 60/265,925

<151> 2001-02-02

<160> 34

<170> PatentIn Ver. 2.1

<210> 1

<211> 1020

<212> DNA

<213> Rhesus cytomegalovirus

<220>

<223> rhesus monkey (Macaca mulatta) cytomegalovirus
(rhCMV) short unique region 28.1 (rhUS28.1) coding
sequence

<400> 1

```
atgaataaca catcttgcaa cttcaacgct actctcaacg catcggcacc aagccgatac 60
atagctattg ctatgtacag cattgttata tgtatcgggt tgggtggaaa cctgctgtta 120
tgcacgtgtg tagtcaagaa acgcaaaact cgatattcca gcgatgttta tttttccac 180
gcctctatgg ccgacctcgt cagcactgtc atgctaccgc tctggctaca ttatgtcctc 240
aactttgccc aactctctcg aggagcctgt atcagctttt cggtgacttt ctatgttccc 300
cttttcgttc aggcctgggt actcatttcc atcgctatgg agcgatattc caacttagta 360
tggatggcac ccattagcgt taagacggcc tttaaacact gcataggaac ctggatcgta 420
tctgccttcg tggcatcacc ctactacgca tacagaaact cacacgacga acacgaatgc 480
attctaggaa actacacttg gcacattaac gaaccgctac acacgtgtat ggatgtgggtg 540
atcatagtat ggaccttttt ggccccagta ctggtaacca ttatagcaag cgtcaaaatg 600
agacgaacga cctggggcaa tactagggtta aacgaaaaga acagcgacat tcttatagta 660
ctagttgtca tgacagtgtt cttttgggga ccgtttaata tcgtgttggt tattgacaat 720
attttacaga gatactatga taccacgaat tgcgatgtag aaaagattaa acatatcatg 780
gctatgatct cagaagccat tgtttatttt cgcggtatta cagcacctat ttttatgta 840
gggattagtg gcagatttcg cgaagagatt tactctctgt ttagacgcca gccgtataac 900
gatttggaac ccgatgcaa tcaattcatg attgaactca ctagccaggg aagaagtaga 960
aatagaaatg ctagacaatc ggaaagcaat gtaccgcaac cagaagaatg cttctggtta 1020
```

<210> 2

<211> 1002

<212> DNA

<213> Rhesus cytomegalovirus

<220>

<223> rhesus monkey (Macaca mulatta) cytomegalovirus
(rhCMV) short unique region 28.2 (rhUS28.2) coding
sequence

```

<400> 2
atgaccaacg ccggacactg tcacataaac gaaagtctcg cgtcgtatgg aatcgctccc 60
gcagctacca ttaccttata cagcattgcg ggaatctgcg gtgtcacggg aaatctgtta 120
atacttttgg ttttgttcac gagacgcata cactggttcg caaatgacat ctactatctc 180
aacatgatct ttacagactt tcttgttttc attacattac ccgcctgggt ttactacctg 240
ctgaattaca cacaactctc acactatgcc tgcattgctc tatcatttgt tttttacgtt 300
tccattttta ttcaagctga ctttatggta gcagtggcta tcgagcgta tcgaagccta 360
gtgaaaaaca aacccttag cgtaaaaaaa gccagcgta gctgcgcgtg catctggatc 420
attgttatta tagtgtcttc accatactac atgttttagat cgcaacacga aacaaattct 480
tgcattctag gaaactacac ctggcatatg aacagtcctt ttcgcaccac aatggacgca 540
tccattaaca tttgggtctt tgctgttccg gccgtgacga ccttgtaaat agccagacga 600
atztatgtat gtacttcagg caacaaaaaa atgaacgcca gagccagtgg tttgttagag 660
gccatgggtga ttagcatgtt attcttcgga ggacttttca acctgaacat ctttcgagac 720
atagtttcgg acacatcgga agacaataaa gactgcacat atcttaagca ggaacacttt 780
attcgcattg tcggtgtggc cctcgtttac gggcgcgcta tattcaacct ttttatgtat 840
atgtgtgtga gtaccagatt gcgccaagaa ataaaatgtt tgtttatgcg aataccttat 900
gaaacactag atgcagaaca cgctaaactc atgggttaatt taaaaaacag aaatgctaatt 960
gtacccgatc ctaaaccctcg tgaatatgaa tctgtgttat ag 1002

```

```

<210> 3
<211> 1014
<212> DNA
<213> Rhesus cytomegalovirus

```

```

<220>
<223> rhesus monkey (Macaca mulatta) cytomegalovirus
      (rhCMV) short unique region 28.3 (rhUS28.3) coding
      sequence

```

```

<400> 3
atgaccaaca ctaacaatac gacttgtcat ctcaacggaa ctttcgaaac ttttaaaatc 60
acccgtccag tagccatcag cgcctacaat gtactcgtgg ttatcggact tttgggaaac 120
attgtgctgc tcagcgtgct cgtcgtgaaa cgcaagctca agtttccgaa tgacatttac 180
tttttcaacg cgtcttttggc agacgttttt gccgtctgca tgttgccgc ctgggttaac 240
tatgcactgg actccacaca acttagcaag ttctcatgta tcacttttac gtttggtttt 300
tacgtctccc tgttcatcca ggcctggatg ctcatctctg tcaccctgga gcgatacggg 360
tctctagtct ggatcgcccc gatcaccaga aacaaagcca tagcgaattg tgtactcttt 420
tggcttgttt ccatcttctt ggccgcacct tactactctt ttagaaacga aagcaacgaa 480
caccaatgca tcatgagaaa ctatacctgg agcgttggtg aaacatggca catagccctg 540
gattttcttaa ttacgctcat tacatttatc atgccagtga ctatttgtgt agctctgagt 600
ttcaaaatgg ccagatggtc aaccttttgt tacagaaacc tcaccagcag aaccagtctt 660
atccttattt tgatactgac agtagcagca gggttctggg gaccttttca cctatttatg 720
tttatagaaa acgtggcagg gcagatttac cacattcaaa aggattgctg gtacttacag 780
ctcagacact tgtgtagctt gatgaccgaa accctagtgt ttctacgttc agtttttaac 840
ccttatattt atatgataat cagttacaag tttaggcagc aggtgcgcag tctactcaag 900
cgtactcagt atgatgcttt ggacacgact cagttagcag aaactatgca gctgaaagcg 960
aaagggtgtg cggtgtccga ccccgcgccg catgactgcg aatgcttttt gtaa 1014

```

```

<210> 4
<211> 987
<212> DNA
<213> Rhesus cytomegalovirus

```

```

<220>
<223> rhesus monkey (Macaca mulatta) cytomegalovirus
      (rhCMV) short unique region 28.4 (rhUS28.4) coding
      sequence

```

```

<400> 4
atgaattcga gccagcacaa cataagcgtg tttctctcca ttggagcagg gcccgtcatt 60
accggataca cgtgcggttt tctgttcggg attctgggac acttttactt gtattggaaa 120
aaccatcaga gacgacaccg gacaaacagt ttcagtgatg ttttatttcg acatctcatg 180
atcacccaag aggtctttac cctcaccatt cccgtctggg cgtatcactt aactactcac 240
ggcaacttac cgggctcgtg gtgccgaagt ctcaccttcg ttttttatct aacgggtattc 300
gctcgtgcct tcttttacct gctcctcatc tgggaccgat acagcgtaat catctgcaga 360
caccctctcc ccgttaatct gaactacagt cagggtcatag gcctgtctgt ctggctggtt 420
gccgtactgt cagcatcacc gttctccatt tttaacggaa gtgtgaaaca atgcctgggc 480
aacatgggca gcataccag cgaatcgtct gccgttctta acctggaagt gcacctgtgc 540
tccttctggg taccgctcat catgtcggct aactgttact accaagcaaa acgccgagca 600
tcgctgacc aactccacga actttaccga tgcagtttgc taattaccat tatcacaact 660
tacgctatcg tatggtttcc tttccatctc gctttactca tagacgccct gattagcata 720
agccatgtag aacctcttag cgctctccac tgggcatcca ttgtcgttac ctgtaaata 780
tttacatttg tatatgcggg cataagccca ctagtgtatt tcacatgctg cccaccgta 840
cgtcgcgaac tgctgatgtc tctacgtcca ttcttcacct ggatttccag caaacgcgg 900
cgaggctacg ctccgattaa aacacaacct ttaaaccatc ccgacgagcc gatagataac 960
aagtcaccgc acctgttaaa cgaataa 987

```

```

<210> 5
<211> 1452
<212> DNA
<213> Rhesus cytomegalovirus

```

```

<220>
<223> rhesus monkey (Macaca mulatta) cytomegalovirus
      (rhCMV) short unique region 28.5 (rhUS28.5) coding
      sequence

```

```

<400> 5
atgactacca ccacaatgag tgctaccacg aattccagta ccacgcctca agcaagcagc 60
accacgatga caacgaagac aagcaactct ggcaatacaa ctactggcac tacgtccacc 120
ctgacaacga tatcaacaac ttctaattgt accagcataa cgtctaattt aagcactacc 180
ggaaacaaaa ctgcaactac caatgtctact accttcagtt ccacattaac aacatctaca 240
aatataagca gtacattttc gacagtttct accgtcgcat ccaatgcaac atgtaattct 300
acaatcacia cgaatattac aactgctttt actacagcag caaacactac cgcaagcagc 360
ctcaccagca tcgtaacttc acttgccact accattgaaa ccacatcatt tgattatgat 420
gagtcagcag aagottgcaa cttaacagac atcgttcata ctactagatc agtgacagtt 480
actttctata ctatcatatt catactcggc cttttgggaa actttctggg tcttatgacc 540
atcatttgga accgtcgcat ttcttttatg gttgaaatat atttcgttaa tctagcaatc 600
tcggatctta tgtttgatg tactttacca ttttgataa tgtatcttct tgagcacgac 660
gtcatgtcac atgcatcctg tgtagcaatg acagccattt tttattgctg gctgtttgac 720
agcactgttt tctctctgct aattgtttta gacagatgtt acgctattct attaggtaca 780
gaaaaagcaa atagacgttt attgcgcaat gctgtttctg gatgcatgct catgtgggga 840
ttgtgtttca ttttagcatt acctcatttt atctttatga agaaaggaac caacgtatgt 900
gtagcagagt atgaaccagg acttaacaat ttctatgtta tttttatcaa tactgagggt 960
aacctatgca ccctagtttt gccagccgca gccattatct actggtatct taaactaacc 1020
aaagcactca aaacccatga acgactgcgt cataggctaa cgtctctaaa catagtgtta 1080
gctgtttgtc atgtatttgc tttgttttgg ctgccgtata atctcatgct tatgatgtat 1140
agcttagttc acatgcagat accttgggaa tgcagctctg aaaaaatact gagacgaagt 1200
ttaattatta cagaatccat cgccctcagt cactgttgca tcaaccccat tatctacttg 1260
ctcttcggac ctcgctgtcg aagcgagttc tgtcacctgt tgcgatgttg ctttacgcgc 1320
ttatgtccac acagatcctg gagttccata cgtgcagaga cgggtgtccat cagtctcagt 1380
cactcacagg tatctgcatc atctgaggat gatgacaacg atgtgcatga tgaattgcaa 1440
tttttaattt ga 1452

```

<210> 6
 <211> 990
 <212> DNA
 <213> Rhesus cytomegalovirus

<220>
 <223> rhesus monkey (Macaca mulatta) cytomegalovirus
 (rhCMV) long unique region 33 (rhUL33) coding
 sequence

```
<400> 6
atgaccaatc tttactctgc caattttctc accttgatag tacttccttt tateggtttta 60
agcaatcaac acctttttacc tgccagtgc gtaacctgta aattttctctc cctgttgtag 120
tactctagct gcagcgtagg ttttgctaca gtggcactga tagcggccga ccgataccga 180
gtgattcacc gccgaactca agctcgccaa tcctaccgta acacatatat gatagtaggc 240
ttaacgtggc tcattggctt gatctgcgct acccccgggg gggctctacac aaccattgta 300
gctcaccgag atggggaaaag tgatgctcaa agacacaata cttgcattat gcactttgag 360
tatgatgaag tttacgtcct catggtctgg aaactttctc tcgttttagt ctggggcata 420
gtgccagttg tcatgatgag ctggttttac gcgttttttt acaatactgt acaaagaaca 480
gccaaaaaac aacaacgtac gttgaaattc gtaaaggat tactcctgtc attcatcatc 540
atccaaactc cctatgtgtc aatcatgatt ttaaacacgt atgccaccgt aggatggccg 600
atggaatgag ccgatctaac tagacgccga gtcatacaac cgttttcccg tctcgtcccc 660
aatctacatt gcatgggtcaa ccccatcctc tacgctctca tgggaaatga ctttgtgtct 720
aaagtggggc aatgcttttcg gggggaactc acgaaccgtc gaacttttct gcgttccaag 780
caacaagccc gcaactcggg cgatgtaccg acaattgtca gtcaacaacc cgccacaccc 840
accatcgta ataagcccga aaaaaacccg cacgtaaaac gcggtgtatc tttcagcgctc 900
agcgcattct ccgaactcgc agcggccaaa aaagccaaag acaaagccaa gcggctttcc 960
atgtccacc aaaacctacg tctgacgtga 990
```

<210> 7
 <211> 1328
 <212> DNA
 <213> Rhesus cytomegalovirus

<220>
 <223> rhesus monkey (Macaca mulatta) cytomegalovirus
 (rhCMV) long unique region 33 (rhUL33) spliced
 coding sequence

```
<400> 7
atggcagtc ctttacgagg cggcagcccg ataaacttta aactcatgat tgtcagccac 60
agaaaccgga aatttcacga gatacggctg tttcagcggt ctgctatccg tccaggcggg 120
ttatggaaac cattcttcac aaccgaacga gtgaaactaa ttccattttg cacatcaaca 180
ccacctgcaa tgtgaccgac tcaactgtac ccgccaaact aggcgaagcc ctctgaaca 240
gcgcgctagc tttattcggt accccctca acgccatcgt cctcgtcaca cagctattgg 300
ccaaccgagt tcatggatac tccaccccg tcatctacat gaccaatctt tactctgcca 360
atttttctac cttgatagta cttcctttta tcgttttaag caatcaacac cttttacctg 420
ccagtgcagt aacctgtaaa tttctctccc tgttgacta ctctagctgc agcgtagggt 480
ttgctacagt ggcactgata gcggccgacc gataccgagt gattcatcgc cgaactcaag 540
ctcgccaatc ctaccgtaac acatatatga tagtaggctt aacgtggctc attggcttga 600
tctgcgtac ccccgggggg gtctacacaa ccattgtagc tcaccgcat ggggaaagtg 660
atgctcaaag acacaatact tgcattatgc actttgctga tgatgaagt tacgtcctca 720
tggtctggaa acttctcacc gtttttagtct ggggcatagt gccagttgtc atgatgagct 780
ggttttacgc gtttttttac aatactgtac aaagaacagc caaaaaaaca caacgtacgt 840
tgaaattcgt aaagggtatta ctcctgtcat tcatcatcat ccaaactccc tatgtgtcaa 900
tcatgatttt taacacgtat gccaccgtag gatggccgat ggaatgcgcc gatctaacta 960
gacgccgagt catcaacacg ttttcccgct tcgtcccaa tctacattgc atgggtcaacc 1020
ccatcctcta cgctctcatg ggaaatgact ttgtgtctaa agtggggcaa tgctttcggg 1080
gggaactcac gaaccgtcga acttttctgc gttccaagca acaagccgc aactcggacg 1140
atgtaccgac aattgtcagt caacaacccg ccacaccac catcgtcaat aagcccgaaa 1200
```

```

aaaacccgca cgtaaaacgc ggtgtatctt tcagcgtcag cgcattctcc gaactcgcag 1260
cgcccaaaaa agccaaagac aaagccaagc ggctttccat gtcccaccaa aacctacgtc 1320
tgacgtga                                     1328

```

```

<210> 8
<211> 1140
<212> DNA
<213> Rhesus cytomegalovirus

```

```

<220>
<223> rhesus monkey (Macaca mulatta) cytomegalovirus
      (rhCMV) long unique region 78 (rhUL78) coding
      sequence

```

```

<400> 8
atgattacgg agcgcgtcct cgcaggcatc ctgcgaggca tgacggccgc ggggagtttg 60
gtcattctcc tcgcggttgt tatgtggttg aacatgtag atcgcgctgg catgccaatg 120
gccgttgggc attacacagg gaacctgggtg ttgactcagg tcatctgtat cttctccatg 180
ctggcgctcta aaattgttgg catgacgagt gcggccaaca tgggcttctg cggcatcgtg 240
gtttttcttg aagacactgg cctctatgtc acctcgctgc tcttcatgtt tatgatcctg 300
gatcgcatgg cggcttttct taacgggcgt cttttctgga ggcagcagac gacgaagcag 360
aatctgagta caagcgtgta cattattctg ttttgctggg tgttgggaat ggccgcggct 420
gttcccagcg cggctgtggc tgcacccaat tccagggtgg aacgctgcga aattccagtg 480
tcatatgccg caatcgacat gattgtgaag ctctggtttg tgetgttggc acccgctcgtg 540
ctgattatgg ctgtgatcat tcaatcttcc tatcatcgtg atcgggagag gatctggtac 600
tatgccagac gtgtgttcat gttctacacg gcctgctttg tcatgatggt gccttattac 660
ttcgtcagag tcatgctgag cgactttgct ttggttgata taaaaacaaa aacggcgaac 720
agcgacggtt gtgattcgac atttcttgat tatctgaaca tgttactca cgtgatttac 780
agttttaagt tgggtgtgtt tgctttgttc attgtcctgt tttgctccat aaacccgatg 840
gaaacgctgg aagaatgctt ggagagggcc gatgctgaga ggcaaagtcg gtcagaagca 900
tcccaggggtg aaaggaggct gccaatcaac acatgctgta taaagttgat tgaattgata 960
aagcagtatg taagcactct ctctaaagcc acgagggaca attctggcga aagggccaat 1020
ttgccagaga atgctgaaga tattggaaca actggcagtg atcagctacc gactgaggtc 1080
accgtgaccc caaatcctc ggctgtgttt agcactggag gaacggtgtc tccagtctaa 1140

```

```

<210> 9
<211> 2100
<212> DNA
<213> Rhesus cytomegalovirus

```

```

<220>
<223> rhesus monkey (Macaca mulatta) cytomegalovirus
      (rhCMV) long unique region 33 (rhUL33) splice
      variant segment that extends 1000 nucleotides
      upstream and 200 nucleotides downstream of the
      rhUL33 reading frame

```

```

<220>
<221> exon
<222> (603)..(752)
<223> exon 1

```

```

<220>
<221> intron
<222> (753)..(830)

```

<220>
 <221> exon
 <222> (831)..(2006)
 <223> exon 2

<220>
 <221> misc_feature
 <222> (1017)..(2006)
 <223> unspliced gene

<400> 9
 cgGCCAagat gtccCAagag gttctgacat gaacaatcac ttttccgaga tagatgagtt 60
 tgTtagtggc atttaccaga gaactattgg agtgacgctc aagatgaagc ttcactggcc 120
 gtatttcgaa catattgtta gatatagcta gtaaagaatc ttctaaagcc atgacgtctt 180
 tctgacgaag ttgaataaat tctatctcac cagtacccaa aggctgacac tcagacaact 240
 ttgccaaggc cgttgcaccc accatggcat tctgaatcac agtaacatcc gtccgagaat 300
 cgtcaccaaa aacggtggcc tccaaagtgc gcagggtgagg ccgagccttt actggatctc 360
 ggaaggggata catgtgtgct cgccgagtga cagcattagc attaacctca aactcatcta 420
 aaagcgatga taaatcagga atatgatagc gcaattctcg atagtaggcc aaccagagga 480
 ctaattgggt gaacagacag ctccgtctgt gcaaaaactt ttcgccgcat tttctgagaa 540
 ttttaggagt ctgctctaaa tctacgttct cttagtgcgg cagggtcttt aaaaagttag 600
 tgatggcagt cactttacga ggccgagcc cgataaactt taaactcatg attgtcagcc 660
 acagaaaccg gaaatttcac gagatacggc tgtttcagcg ttctgctatc cgtccaggcg 720
 ggTtatggaa accattcttc acaaccgaac ggtgagtgac atttaagaca gtttaatagc 780
 caacactcgt aacgtctcgg aagctgataa gtttcgtttt tccacagagt gaaactaatt 840
 ccattttgca catcaacacc acctgcaatg tgaccgactc actgtacgcc gccaaactag 900
 gcgaagccct cgtgaacagc gcgctagctt tattcggtac cccctcaac gccatcgcc 960
 tcgtcacaca gctattggcc aaccgagttc atggatactc caccgccatt atctacatga 1020
 ccaatcttta ctctgccaat tttctcacct tgatagtact tccttttata gttttaagca 1080
 atcaacacct tttaacctgcc agtgccagtaa cctgtaaaatt tctctccctg ttgtactact 1140
 ctagtgcag cgtaggtttt gctacagtgg cactgatagc ggccgaccga taccgagtga 1200
 ttcatcgccg aactcaagct cgccaatcct accgtaacac atatatgata gtaggcttaa 1260
 cgtggctcat tggcttgatc tgcgtaccc ccgggggggt ctacacaacc attgtagctc 1320
 accgcgatgg ggaaagtgat gctcaaagac acaatacttg cattatgcac tttgcgtatg 1380
 atgaagttta cgtcctcatg gtctggaaac ttctcatcgt tttagtctgg ggcatagtgc 1440
 cagttgtcat gatgagctgg ttttacgcgt ttttttacia tactgtacia agaacagcca 1500
 aaaaacaaca acgtacgttg aaattcgtaa aggtattact cctgtcattc atcatcatcc 1560
 aaactcccta tgtgtcaatc atgattttta acacgtatgc caccgtagga tggccgatgg 1620
 aatgcgccga tctaactaga cgccgagtc tcaacacggt ttcccgctct gtccccaatc 1680
 tacattgcat ggtcaacccc atcctctacg ctctcatggg aaatgacttt gtgtctaaag 1740
 tgggccaatg ctttcggggg gaactcacga accgtcgaa ttttctgcgt tccaagcaac 1800
 aagcccgcaa ctcgacgat gtaccgacaa ttgtcagtc acaaccgcc acaccacca 1860
 tcgtcaataa gcccgaaaaa aaccgcacg taaaacgcgg tgtatctttc agcgtcagcg 1920
 catcttccga actcgcagcg gccaaaaaag ccaaagacaa agccaagcgg ctttccatgt 1980
 cccacaaaaa cctacgtctg acgtgaattt tcctagaggc tgcctccacg ggtttacata 2040
 catatctcgg tacttgctac acttgatcac tttactgcgg acaccacggc caatcgcatc 2100

<210> 10
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:human
 cytomegalovirus (HCMV) long unique region 146
 (UL146) CXC (alpha) chemokine homolog (vCXCL1)
 clinical strain conserved structural motif

<400> 10
Glu Leu Arg Cys Xaa Cys
1 5

<210> 11
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:human CMV
strain AD 169 AD27/28 PCR amplification primer
AD27up

<400> 11
gtgaattcgg ttggttcccc gtgttt

26

<210> 12
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:human CMV
strain AD169 AD27/28 PCR amplification primer
AD28low

<400> 12
gcggttcctc gcgagtcgcg tcttcatcgt ag

32

<210> 13
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:human CMV
strain AD169 AD27/28 PCR amplification primer
AD28up

<400> 13
gtggatcctc gagcgctcgc cttttgtcac t

31

<210> 14
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:human CMV
strain AD169 AD27/28 PCR amplification primer
AD29low

<400> 14
gcggatcccc ccgcccacca tacaac

26

<210> 15
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:human CCR7
 receptor CCR7.1 PCR amplification primer ccr7up

 <400> 15
 gcgaattcag cgtcatggac ctgggg 26

 <210> 16
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:human CCR7
 receptor CCR7.1 PCR amplification primer ccr7low

 <400> 16
 tggaattcag aagagtcgcc tatggg 26

 <210> 17
 <211> 34
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:murine CMV PCR
 amplification primer S78.1

 <400> 17
 ataagaatgc ggccgctcga ctacatgctg ctgc 34

 <210> 18
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:murine CMV PCR
 amplification primer S78.2

 <400> 18
 cggaattccg tccggctgct gcgcttcttc 30

 <210> 19
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:murine CCR7
 receptor (mCCR7) PCR amplification primer mCCR7up

<400> 19
 ataagaatgc ggccgctgac ccagggaaac ccagg 35

<210> 20
 <211> 33
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: murine CCR7
 receptor (mCCR7) PCR amplification primer mCCR7low

<400> 20
 cggaattccg tcagctcctg ggagaggtcc ttg 33

<210> 21
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: human CMV
 strain AD169 PCR amplification primer 108 up

<400> 21
 gcggtaccgc gacgccgtcg ctggg 25

<210> 22
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: human CMV
 strain AD169 PCR amplification primer 108 low

<400> 22
 tggatccgtc agggaaatac aag 23

<210> 23
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: human CMV
 strain AD169 PCR amplification primer 109 up

<400> 23
 atggatcctc ttctatcacg gtggc 25

<210> 24
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:human CMV
 strain AD169 PCR amplification primer 109 low

<400> 24
 gcggatccag gatcgatttc gtgcg 25

<210> 25
 <211> 28
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:Bacillus
 anthracis protective antigen (BAPA) PCR primer
 BAPAp

<400> 25
 ggcccgggga agttaaacag gagaaccg 28

<210> 26
 <211> 27
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:Bacillus
 anthracis protective antigen (BAPA) PCR primer
 BAPAlow

<400> 26
 gggatatcctt accttattcct atctcat 27

<210> 27
 <211> 70
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:complementary
 oligo containing Ig kappa leader sequence

<400> 27
 ctagcatgga gacagacaca ctcctgctat ggggtactgct gctctgggtt ccaggttcca 60
 ctggtgacct 70

<210> 28
 <211> 70
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:complementary
 oligo containing Ig kappa leader sequence

<400> 28
 ccgggggtca ccagtggaac ctggaaccca gagcagcagt acccatagca ggagtgtgtc 60
 tgtctccatg 70

<210> 29
 <211> 29
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:rhesus CMV
 strain Rh68.1 Rh32/33 PCR amplification primer
 Rh32up

<400> 29
 cggaattcct ctttagtcgg caggggtctt 29

<210> 30
 <211> 29
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:rhesus CMV
 strain Rh68.1 Rh32/33 PCR amplification primer
 Rh33low

<400> 30
 ctggatccgt ggctttgtct ttggctttt 29

<210> 31
 <211> 28
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:rhesus macaque
 SLO RhCMV immediate early 2 gene nested PCR primer

<400> 31
 gccaatgcat cctctggatg tattgtga 28

<210> 32
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:rhesus macaque
 SLO RhCMV immediate early 2 gene nested PCR primer

<400> 32
 tgcttgggga atctctgcac 20

<210> 33
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:rhesus macaque
SLO RhCMV immediate early 2 gene nested PCR primer

<400> 33
cccttcctga ctactaatgt ac

22

<210> 34
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:rhesus macaque
SLO RhCMV immediate early 2 gene nested PCR primer

<400> 34
ttggggaatc tctgcacaag

20